

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 2001-037741

(43)Date of publication of application : 13.02.2001

(51)Int.Cl.

A61B 5/145

G01N 21/35

(21)Application number : 11-211457

(71)Applicant : MATSUSHITA ELECTRIC WORKS LTD

(22)Date of filing : 27.07.1999

(72)Inventor : MARUO KATSUHIKO


OKA MASAMI

SHIMIZU KEISUKE

CHIN JIYAKUSEI

(54) NONINVASIVE BLOOD GLUCOSE MEASUREMENT METHOD AND NONINVASIVE GLYCEMIC METER

(57)Abstract:

PROBLEM TO BE SOLVED: To carry out measurement with good accuracy by minimizing disturbance factors as far as possible.**SOLUTION:** The measurement is carried out by using a sensing part 7a which is set with a light emitting and receiving interval of near IR rays at ≤ 2 mm in the distance between centers and bringing this sensing part 7a into contact with the skin under a contact pressure of 100 to 750 gf/cm² at the time the glucose concentration in the skin tissue is noninvasively measured by bringing the sensing part 7a having a light emitting and receiving part for the near IR rays into abutment on the skin surface.**LEGAL STATUS**

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開2001-37741

(P2001-37741A)

(43) 公開日 平成13年2月13日 (2001.2.13)

(51) Int. Cl. ⁷	識別記号	FI	キーワード (参考)
A 6 1 B 5/145		A 6 1 B 5/14	3 1 0 2 G 0 5 9
G 0 1 N 21/35		G 0 1 N 21/35	Z 4 C 0 3 8

審査請求 未請求 請求項の数17 OL (全 7 頁)

(21) 出願番号 特願平11-211457

(22) 出願日 平成11年7月27日 (1999.7.27)

(71) 出願人 000005832

松下電工株式会社

大阪府門真市大字門真1048番地

(72) 発明者 丸尾 勝彦

大阪府門真市大字門真1048番地松下電工株式会社内

(72) 発明者 関 雅英

大阪府門真市大字門真1048番地松下電工株式会社内

(74) 代理人 100087767

弁理士 西川 恵清 (外1名)

最終頁に続く

(54) 【発明の名称】 非侵襲血糖測定方法及び非侵襲血糖計

(57) 【要約】

【課題】 外乱要因を出来る限り最小限に抑えることで精度の良い測定を行う。

【解決手段】 近赤外線を受発光部を備えたセンシング部7aを皮膚表面に当接させて皮膚組織中のグルコース濃度を非侵襲的に測定するにあたり、近赤外線を受発光間隔が中心間隔で2mm以下に設定されたセンシング部7aを用いるとともに該センシング部7aを100～750gf/cm²の接触圧力で皮膚に接触させて測定を行う。

